Aquaculture Research

Volume 29
Pages 1–965

Blackwell
Science

Published by Blackwell Science
Editorial Offices:
Blackwell Science Ltd, 23 Ainslie Place, Edinburgh EH3 6AJ, UK
Blackwell Science Ltd, 25 John Street, London WC1N 2BL, UK
Blackwell Science Ltd, Osney Mead, Oxford OX2 0EL, UK
Blackwell Science Asia Pty, 54 University Street (PO Box 378), Carlton South, Victoria 3053, Australia
Blackwell Science Europe Ltd, 10 rue Casimir Delavigne, F-75006 Paris, France
Blackwell Wissenschafts-Verlag GmbH, Kurfürstendamm 57, D-10707 Berlin, Germany
Blackwell Science KK, MG Kodenmacho Building, 7–10 Kodenmacho Nihombashi, Chuo-ku, Tokyo, Japan
Blackwell Science Inc., Suite 500, 5th Floor, 238 Main Street, Cambridge, MA 012142, USA

© 1998 Blackwell Science Ltd

Authorization to photocopy for internal or personal use or for the internal or personal use of specific clients is granted by Blackwell Science Ltd for libraries and other users registered within the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $14.00 per copy is paid directly to CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Editors, *Aquaculture Research* 1355-557X/98 $14.00.

ISSN 1355-557X

Typeset by Information Press, Oxford
Printed by The Devonshire Press, Torquay

Contents

Volume 29, Number 1, January 1998

1 Contributions to the larval biology of the red lipped conch, *Strombus luhuanus* L. 1758, with respect to seed production for mariculture *W L Wiedemeyer*

9 Physiological investigations of a neurotoxin-producing phytoflagellate, *Chattonella marina* (Raphidophyceae) *S Khan, O Arakawa and Y Onoue*

19 The lipid content, spatfall and subsequent growth of early and late settling hatchery-reared Pacific oyster *Crassostrea gigas* Thunberg larvae *I Laing and N H Earl*

27 Modelling growth rate of *Penaeus monodon* Fabricius in intensively managed ponds: effects of temperature, pond age and stocking density *C J Jackson and Y-G Wang*

37 Fatty acid and amino acid composition of eggs, muscle and midgut glands of freshwater prawns *Macrobrachium rosenbergii* (de Man) raised in fertilized ponds, unfertilized ponds or fed prepared diets *J H Tidwell, C D Webster, S D Coyle, W H Daniels and L R D'Abramo*

47 Rice with fish culture in the semi-deep waters of the Mekong Delta, Vietnam: a socio-economical survey *A J Rothuis, D K Nhan, C J J Richter and F Ollevier*

59 Rice with fish culture in the semi-deep waters of the Mekong Delta: Vietnam: interaction of rice culture and fish husbandry management on fish production *A J Rothuis, D K Nhan, C J J Richter and F Ollevier*

Mini review

67 The potential of Arctic charr, *Salvinus alpinus* (L.) for mariculture *M S Heasman and K D Black*

77 Book reviews

Volume 29, Number 2, February 1998

79 The effects of the beta-agonist ractopamine on growth hormone and intermediary metabolite concentrations in rainbow trout, *Oncorhynchus mykiss* (Walbaum) *G W Vandenberg, J F Leatherland and R D Moccia*

89 The efficacy of clove oil as an anaesthetic for rainbow trout, *Oncorhynchus mykiss J L Keene, D L G Noakes, R D Moccia and C G Soto*

103 Comparative low temperature tolerance of small juvenile European, *Ostrea edulis* L., and Pacific oysters, *Crassostrea gigas* Thunberg *A R Child and I Laing*

115 Growth and feeding behaviour of caged Atlantic mackerel *Scomber scombrus* L. *J-E Juell, J C Holm G I Hemre, and Ø Lie*

123 Growth responses of juvenile red swamp crayfish, *Procambarus clarkii* Girard, to several diets under controlled conditions *J Oliveira and A Fabião*

131 Induced spawning in perch, *Perca fluviatilis* L., using FSH+LH with pimozide or metoclopramide, *D Kucharczyk, R Kujawa, A Mamcarz, A Skrzypczak and E Wyszomirska*

137 Changes in lipid classes and trypsin activity during the early development of brook charr, *Salvelinus fontinalis* (Mitchill), fry *O Roche-Mayzaud, P Mayzaud and C Audet*

153 Statistical aspects of aquaculture research: one- and two-season cross-over designs *T S Smart, J Riley and P Edwards*

Volume 29, Number 3, March 1998

159 Digestibility and transit time of *Azolla filiculoides* Lamarck in *Oreochromis aureus* (Steindachner) *V Leonard, C Breyne, J-C Micha and Y Larondelle*

167 Dietary administration of androgens induces sterility in the female-heterogametic black molly, *Poecilia sphenops* (Curvier & Valenciennes, 1846) *T George and T J. Pandian*

177 The effect of stocking density on growth in the gilthead sea-bream, *Sparus aurata* (L.) *A V M Canario, J Condeça D M Power, and P M Ingleton*

183 Biochemical composition of eggs and nauplii in White Pacific Shrimp, *Penaeus vannamei* (Boone), in relation to the physiological condition of spawners in a commercial hatchery *E Palacios, A M Ibarra, J L Ramirez, G Portillo and I S Racotta*

191 Relationships between carotenoid concentration and colour of fillets of Arctic charr, *Salvelinus alpinus* (L.), fed astaxanthin *B Hatlen, M Jobling and B Bjerkeng*

203 The influence of salinity on the morpological development of yolk sac larvae of Atlantic halibut *Hippoglossus hippoglossus* (L.) *S Bolla and O H Ottesen*

211 Assessing culture fisheries practices in small waterbodies: a study of village fisheries in north-east Thailand *K Lorenzen, J Juntana, J Bundit and D Tourongruang*

225 Book reviews

Volume 29, Number 4, April 1998

229 The impact of tiger shrimp, *Penaeus monodon* Fabricius, postlarvae stocking density on production in traditional tambak systems in East Java, Indonesia *A M Hariati, D G R Wiadnya, M Fadjar, S Muhammad, R Faber, M C J Verdegem and J H Boon*

237 Effects of different dietary levels of L-ascorbic acid on growth and tissue vitamin C concentration in juvenile Korean rockfish, *Sebastes schlegeli* (Hilgendorf) *K-J Lee, K-W Kim and S C. Bai*

245 Immunochemical sexing of living yellowfin tuna, *Thunnus albacares* (Bonnaterre), using a vitellogenin-like protein *A Takemura and M Oka*

251 Growth, feed conversion, fillet proximate composition and resistance to *Edwardsiella ictaluri* of channel catfish, *Ictalurus punctatus* (Rafinesque), blue catsifh, *Ictalurus furcatus* (Lesueur), and their reciprocal F1 hybrids fed 25% and 45% protein diets *B G Bosworth, W R Wolters, D J Wise and M H Li*

259 Effect of temperature on phosphorus losses and phosphorus retention in silver perch, *Bidyanus bidyanus* (Mitchell 1838), (Teraponidae) fed on artificial diets *G Kibria, D Nugegoda, R Fairclough and P Lam*

267 Refrigerated storage and cryopreservation of sperm of red drum, *Sciaenops ocellatus* L. *W R Wayman, T R Tiersch and R G Thomas*

275 Total replacement of fish meal with animal protein sources in Nile tilapia, *Oreochromis niloticus* (L.), feeds *A-F M El-Sayed*

281 Statistical aspects of aquaculture research: pond variability and pseudoreplication *J Riley and P Edwards*

289 Protein synthesis and growth in juvenile Atlantic halibut, *Hippoglossus hippoglossus* (L.): application of ^{15}N stable isotope tracer. *K P P Fraser, A R Lyndon and D F Houlihan*

Short communication

299 Effects of temperature, size and density on culture performance of snakehead, *Channa striatus* (Bloch), fed formulated feed *J G Qin and A W Fast*

Volume 29, Number 5, May 1998

305 Effect of feeding *Spirulina platensis* on the growth, proximate composition and organoleptic quality of common carp, *Cyprinus carpio* L. *M C Nandeesha, B Gangadhar, T J Varghese and P Keshavanath*

313 Modelling growth of *Colossoma macropomum* (Cuvier): comparison of an empirical and an explanatory model *M B van der Meer and A A van Dam*

333 Testosterone-mediated complete feminization with precocious ovarian maturation in catfish, *Heteropneustes fossilis* (Bloch) *B K Tiwary, R Kirubagaran and A K Ray*

337 The effect of individual male potency on fertilization ability of fresh and cryopreserved milt of rainbow trout, *Oncorhynchus mykiss* (Walbaum) *I Babiak, J Glogowski, M Luczynski, K Goryczko, S Dobosz and H Kuzminski*

341 An efficient method for cryopreservation of testicular sperm of the Northern pike, *Esox lucius* L. *F Lahnsteiner, T Weismann and R A Patzner*

349 Effect of dietary protein level on reproductive performance of Nile tilapia, *Oreochromis niloticus* (L.) *A Q Siddiqui, Y S Al-Hafedh and S A Ali*

359 Ultraviolet-induced androgenesis in Nile tilapia, *Oreochromis niloticus* (L.), and hybrid Nile x blue tilapia, *O. Aureus* (Steindachner) *N G Marengoni and Y Onoue*

367 Muscle colour development in Arctic charr, *Salvelinus alpinus* (L.), monitored by fibre-optics and electrical impedance *H J Swatland, F Darkin, S J Naylor, L Caston and R D Moccia*

373 Statistical aspects of aquaculture research: sample sizes for pond experiments *T S Smart, J Riley and P Edwards*

Volume 29, Number 6, June 1998

381 Growout production of the camouflage grouper, *Epinephelus polyphekadion* (Bleeker), in a tank culture system *C M James, S A Al-Thobaiti, B M Rasem and M H Carlos*

389 Effects of stripping time on the success of the artificial incubation of white-clawed crayfish, *Austropotamobius pallipes* (Lereboullet), eggs *J R Pérez, J M Carral, J D Celada, C Muñoz, M Sáez-Royuela and J I Antolín*

397 Growth, product quality and immune status of Atlantic salmon, *Salmo salar* L., fed wet feed with alginate *B O Gabrielsen and E Austreng*

403 Effects of controlling temperature and light duration on seed production in the tilapia *Oreochromis spilurus* (Günther) *M T Ridha, E M Cruz, A A Al-Ameeri and A A Al-Ahmed*

411 Use of a potential probiotic Lactococcus lactis AR21 strain for the enhancement of the growth of the rotifer *Brachionus plicatilis* (Müller) *A R Shiri Harzevili, H Van Duffel, P Dhert, J Swings and P Sorgeloos*

419 Migratory behaviour of adult wild and escaped farmed Atlantic salmon, *Salmo salar* L., before, during and after spawning in a Norwegian river *E B Thorstad, T G Heggberget and F Økland*

429 Intertidal clam harvesting: benthic community change and recovery *B E Spencer, M J Kaiser and D B Edwards*

439 Estimation of sperm concentration of wild and reconditioned brown trout, *Salmo trutta* L. *W R Poole and M G Dillane*

447 Effect of fasting and refeeding on growth and body composition of red porgy, *Pagrus pagrus* L. *F M Rueda, F J Martinez, S Zamora, M Kentouri and P Divanach*

Short communication

453 DNA fingerprinting in Malaysian strain of Javanese carp, *Puntius gonionotus* (Bleeker), detected by YNZ22 DNA probe *S S Siraj, S Seki and N Taniguchi*

457 Book reviews

Volume 29, Number 7, July 1998

459 Changes in proximate and amino acid composition during early development of two Australian Percichthyid fish, Macquarie perch, *Macquaria australasica* Cuvier, and trout cod, *Maccullochella macquarensis* (Cuvier) *S S De Silva, M Sheikh-Eldin, B A Ingram and H P An*

469 Growth performance and carcass composition of rainbow trout, *Oncorhynchus mykiss* (Walbaum), fed the β-agonist ractopamine *G W Vandenberg and R D Moccia*

481 Optimum temperature for growth of Australian abalone: preferred temperature and critical thermal maximum for blacklip abalone, *Haliotis rubra* (Leach) and greenlip abalone, *Haliotis laevigata* (Leach) *A Gilroy and S J Edwards*

487 Comparison of internal and external markers in digestibility studies involving the Australian freshwater crayfish, *Cherax destructor* Clark (Decapoda, Parastacidae) *P L Jones and S S De Silva*

495 Ammonia-N efflux rate and nutritional state of juvenile pink shrimp *Penaeus paulensis* (Perez-Farfante), in relation to food type *A S C Schmitt and E A Santos*

503 Feed efficiency, nutrient retention and body composition of Nile tilapia, *Oreochromis niloticus* L., fed diets containing L-ascorbic acid, L-ascorbyl-2-sulphate or L-ascorbyl-2-polyphosphate *A E Abdelghany*

511 Evaluation of digestibility coefficients of some carbohydrate-rich feedstuffs for Indian major carp fingerlings *Erfanullah and A K Jafri*

521 Mitochondrial DNA variation in two samples of northern pike *Esox lucius* L. *P Brzuzan, M Luczynski and P A Kuzniar*

527 Comparison of estimates of digestibility of two diets for rainbow trout, *Oncorhynchus mykiss* (Walbaum), using two markers and two methods of faeces collection *R N Wheatherup and K J McCracken*

Short communication

535 Rock lobster, *Jasus edwardsii* (Hutton), growth on opened versus unopened cultured mussel, *Mytilus galloprovincialis* (Lamarck) *P J James*

Volume 29, Number 8, August 1998

539 Effects of light intensity, tank colour and photoperiod on swimbladder inflation success in larval striped bass, *Morone saxatilis* (Walbaum) *D J Martin-Robichaud and R H Peterson*

549 Influence of temperature and salinity on the yellowleg shrimp, *Penaeus californiensis* Holmes, prophenoloxidase system *F Vargas-Albores, P Hinojosa-Baltazar, G Portillo-Clark and F Magallón-Barajas*

555 Effects of compost manure on the body burden of cadmium and growth of common carp, *Cyprinus carpio* (L.) *A Kaviraj and T K Ghosal*

563 Induced sex reversal of dusky grouper, *Epinephelus marginatus* (Lowe) *B Glamuzina, N Glavić, B Skaramuca and V Kožul*

569 Synthetic surfactants for protecting cultured fish against toxic phytoplankton *K Ono, O Arakawa, Y Onoue, S Matsumoto, H Shihara, K Takeda, M Nakanishi, T Yamaji, K Uemura and Y Ogawa*

573 Evaluation of three feeding practices on the winter culture of yellowleg shrimp, *Penaeus californiensis* (Holmes), in low water exchange ponds *L R Martinez-Cordova, M A Porchas-Cornejo, H Villarreal-Colmenares and J A Calderon-Perez*

579 Effect of vitamin C and astaxanthin on stress and disease resistance of postlarval tiger shrimp, *Penaeus monodon* (Fabricius) *G Merchie, E Kontara, P Lavens, R Robles, K Kurmaly and P Sorgeloos*

587 Response of biota to aeration rate in low water exchange ponds farming white shrimp, *Penaeus vannamei* Boone *L R Martinez-Cordova, H Villarreal-Colmenares and M A Porchas-Cornejo*

595 Application of the random amplified polymorphic DNA technique in a study of heterosis in common carp, *Cyprinus carpio* L. *Z Dong and E Zhou*

601 Influence of dietary fat level and increased adiposity on growth and fat deposition in rainbow trout, *Oncorhynchus mykiss* (Walbaum) *M Jobling, J Koskela and R Savolainen*

Short communications

609 Vitamin C lost during adaptation to salt water: ascorbic acid and ascorbyl-2-sulphate measured in chinook salmon, *Oncorhynchus tshawytscha* (Walbaum) *S P Felton, U Luzzana and H M Felton*

611 Water quality fluctuations in a closed recirculating system for the intensive culture of the guppy, *Poecilia reticulata* (Peters) *H Kaiser, T G Paulet and F Endemann*

Volume 29, Number 9, September 1998

617 Water quality and bacterial populations in a tropical marine cage culture farm *P Arulampalam, F M Yusoff, M Shariff, A T Law and P S Srinivasa Rao*

625 Autoregressive technique in length growth modelling of two Indian major carp, *Catla catla* (Hamilton) and *Labeo rohita* (Hamilton), reared under two holding conditions *T K Basu, B Bhattacharyya, S K Sarkar, S Ganguly and C Medda*

635 Lethal doses of ammonia on the late-stage larvae of Chinese mitten-handed crab, *Eriocheir sinensis* (H. Milne-Edwards), (Decapoda: Grapsidae) reared in the laboratory *J H Zhao, J Y Guo and T J Lam*

643 Preferred temperature of grass carp, *Ctenopharyngodon idella* (Valenciennes), and brema carp, *Megalobrama amblycephala* (Yih), (Pisces, Cyprinidae) in horizontal and vertical gradients *F Díaz, S Espina, C Rodríguez and F Soto*

649 Polyculture of silver barb, *Puntius gonionotus* (Bleeker), Nile tilapia, *Oreochromis niloticus* (L.), and common carp, *Cyprinus carpio* L. in Vietnamese ricefields: feeding ecology and impact on rice and ricefield environment *A J Rothuis, L T Duong, C J J Richter and F Ollevier*

661 Polyculture of silver barb, *Puntius gonionotus* (Bleeker), Nile tilapia, *Oreochromis niloticus* (L.), and common carp, *Cyprinus Carpio* L. in Vietnamese ricefields: fish production parameters *A J Rothuis, C Q Nam, C J J Richter and F Ollevier*

669 Empirical measurements of parameters critical to modelling benthic impacts of freshwater salmonid cage aquaculture *I R Elberizon and L A Kelly*

679 The straying of Icelandic ranched Atlantic salmon, *Salmo salar* L.: release and recapture techniques *V Jóhannsson, J Jónasson, S Ósakarsson and Á Ísaksson*

687 Effects of the repartitioning agent ractopamine on the growth and body composition of rainbow trout, *Oncorhynchus mykiss* (Walbaum), fed three levels of dietary protein *R D Moccia, R M Gurure, J L Atkinson and G W Vandenburg*

Volume 29, Number 10, October 1998

695 The influence of temperature on the apparent nutrient and fatty acid digestibility of Arctic char, *Salvelinus alpinus* L. *R E Olsen and E Ringø*

703 Evaluation of guar seed as a protein source in Nile tilapia, *Oreochromis niloticus* (L.), practical diets *Y S Al-Hafedh and A Q Siddiqui*

709 Effect of the use of the microalga *Spirulina maxima* as fish meal replacement in diets for tilapia, *Oreochromis mossambicus* (Peters), fry *M A Olvera-Novoa, L J Domínguez-Cen, L Olivera-Castillo and C A Martínez-Palacios*

717 Effects of handling, discrete meals and body weight on the individual variation of gastric emptying parameters *H R Kristiansen*

731 Feeding sequences (rotifer and dry diet), survival, growth and biochemical composition of African catfish, *Clarius gariepinus* Burchell (Pisces: Clariidae), larvae *A Awaïss and P Kestemont*

743 *Penaeus monodon* (Fabricius) and *Penaeus merguiensis* (de Man) biculture in East Java, Indonesia *A M Hariati, D G R Wiadnya, R K Rini, J H Boon and M C J Verdegem*

751 Effect of protein source on the reproductive performance of female rainbow trout, *Oncorhynchus mykiss* (Walbaum) *J O B Pereira, M A Reis-Henriques, J L Sanchez and J M Costa*

761 Evaluation of *Chuni*, a commercially available low-cost cattle fodder, in the diet for rohu, *Labeo rohita* (Hamilton), fingerlings *A K Saha and A K Ray*

Short communication

769 Preliminary studies on reproduction and early stages in rearing trials with dusky grouper *Epinephelus marginatus* (Lowe, 1834) *B Glamuzina, B Skaramuca, N Glavic and V Kozul*

773 Book review

Volume 29, Number 11, November 1998

775 Blocking polar body with cytochalasin B in the fertilized eggs of the small abalone, *Haliotis diversicolor supertexta* (Lischke), and development and ploidy of the resultant embryos *H-S Yang, Y-Y Ting and H-C Chen*

785 Allozymic variation and differentiation in naturalized populations of rainbow trout, *Oncorhynchus mykiss* (Walbaum), from southern Chile *G Gajardo, O Díaz and J E Crespo*

791 Nicotinic acid supplementation of diets for the African catfish, *Clarias gariepinus* (Burchell) *P C Morris, R T M Baker and S J Davies*

801 Changes in shell dimensions of pearl oysters, *Pinctada mazatlanica* (Hanley 1856) and *Pteria sterna* (Gould 1851), during growth as criteria for Mabé pearl implants *P Saucedo, M Monteforte and F Blanc*

815 Performance of *Penaeus paulensis* (Pérez-Farfante) broodstock under long-term exposure to ammonia *R O Cavalli, S M Peixoto and W Wasielesky*

823 Oxygen consumption and ammonia-N excretion related to protein requirements for growth of white shrimp, *Penaeus setiferus* (L.), juveniles *G Taboada, G Gaxiola, T Garcia, R Pedroza, A Sanchez, L A Soto and C Rosas*

835 Relative efficacy of dietary administration of 3,5,3'-triiodothyronine (T_3) to different stages of an Indian major carp, *Cirrhina mrigala* (Hamilton): growth and economics *M D Ansal and K Kaur*

843 Bacteria in shrimp pond sediments: their role in mineralizing nutrients and some suggested sampling strategies *M A Burford, E L Peterson, J C F Baiano and N P Preston*

Short communication

851 Genetic variability of European sea bass, *Dicentrarchus labrax* L.: data from a hatchery stock *G Martínez-Rodríguez, M C Álvarez and B J McAndrew*

Volume 29, Number 12, December 1998

855 Editorial

857 Atlantic halibut, *Hippoglossus hippoglossus* L., larvae cultivation literature, including a bibliography *A Mangor-Jensen, T Harboe, R J Shields, B Gara and K E Naas*

887 Design and operation of Atlantic halibut, *Hippoglossus hippoglossus* L., egg incubators *A Mangor-Jensen, T Harboe, J S Hennø and R Troland*

893 Large-scale rearing of Atlantic halibut, *Hippoglossus hippoglossus* L., yolk sac larvae: effects of flow rate on growth, survival and accumulation of bacteria *I Opstad, Ø Bergh and A B Skiftesvik*

899 The effect of light on activity and growth of Atlantic halibut, *Hippoglossus hippoglossus* L., yolk-sac larvae *Ø Karlsen, A B Skiftesvik and J V Helvik*

913 Time of first feeding of Atlantic halibut, *Hippoglossus hippoglossus* L., larvae *T Harboe and A Mangor-Jensen*

919 A tank design for first feeding of halibut, *Hippoglossus hippoglossus* L., larvae *T Harboe, A Mangor-Jensen, K E Naas and T Næss*

925 A sensitive period during first feeding for the determination of pigmentation pattern in Atlantic halibut, *Hippoglossus hippoglossus* L., juveniles: the role of diet *T Næss and Ø Lie*

935 Feeding strategies to achieve correct metamorphosis of Atlantic halibut, *Hippoglossus hippoglossus* L., using enriched *Artemia B Gara, R J Shields and L McEvoy*

Short communication

949 Plasticity of viable postmetamorphic forms of farmed Atlantic halibut, *Hippoglossus hippoglossus* L. *K Pittman, A Jelmert, T Næss, T Harboe and K Watanabe*

955 Author Index

961 Subject index